








# OVERVIEW

Critical Limb Ischemia (CLI) is a severe blockage of the arteries, marked with reducing blood flow to the hands, feet and legs, and progressing to the point of severe pain, skin ulcers, gangrene or sores.

Diabetes can increase the chance of CLI by up to three times. Diabetic patients are also at a higher risk of developing foot ulcers





## **PATIENT VIDEO**



#### **Critical Limb Ischemia Stem Cell treatment**

https://www.youtube.com/watch?v=u5hkKRt1EEE&t=8s



## Patient with Diabetes Mellitus and Neuropathy shares his experience at SCCI stem cell therapy

Patient with Diabetes Mellitus and Neuropathy shares his experience at SCCI stem cell therapy



## PATIENT WITH GLAUCOMA AND RETINAL DETACHMENT SHARES HIS EXPERIENCE AT SCCI | STEM CELL THERAPY

HTTPS://WWW.YOUTUBE.COM/WATCH?V=6LU7WPX6BTU&LIST=PL ELQLL6BV4TWUW9J0FW87TG3ZJR8LCDYI&INDEX=2



## Patient shares his experience after stem cell therapy for Spinocerebellar Ataxia treatment SCCI

https://www.youtube.com/watch?v=ExDpUPnyOxQ&I ist=PLELQLL6bv4tX6inWFaFCllKlfrXdzypqC&index= 10



Patient shares his experience after stem cell for Chronic Adrenal Hyperplasia with Oligospermia

https://www.youtube.com/watch?v=AxKeVuXUW3w&t=16s




Patient with Chronic Liver Disease shares her experience at SCCI | Stem Cell Therapy

https://www.youtube.com/watch?v=w\$LeVHlba7k&list=PLELQ LL6bv4tVey\_Bcr7ohBMp0gDv4XXi-









### Zaman Londonium

1 review

★★★★★ 5 months ago

I am very pleased to receive stem cell treatment for my mother from Stem cell care India as well they are very friendly and co-operative in all aspects. Finally i am very greatful to Mr Adil who helps me lot after arrival into India AKM Quamruzzaman

Barrister & Solicitors for England & Wales.



Response from the owner 5 months ago

Thank you for your feedback

Stem Cell Care India



#### Adv. Tania Kipa

2 reviews · 8 photos

★★★★★ 3 years ago

Response from the owner a year ago

Thank you for the feedback and wish you a healthy life. Stem Cell Care India



#### Tabrez Ahmad

★★★★★ 4 years ago

Response from the owner a year ago

Thank you for the feedback and wish you a healthy life. Stem Cell Care India



#### Farina Travels

★★★★★ 3 years ago

Response from the owner a year ago

Thank you for your feedback



## OUTCOME CRITICAL LIMB ISCHEMIA PATIENTS



## Robin

### 52 years, Thailand, 2020

Robin from Thailand was suffering from severe critical limb ischemia and his native doctors were not able to control the ailment with medicines and drugs. So they recommended him to go to India for Stem Cell Therapy. Before the stem cell treatment at SCCI, he had the memory problem as a result of his brain trauma and critical limb ischemia. After the treatment at Stem Cell Care India and because of the infusion of the stem cells and PRP (Platelet Rich Plasma), Robin is speedily recovering from his disease. The medical experts at SCCI are continuously keeping watch in his condition during regular follow-up interval and will keep posting any newest development in his condition. He is very thankful to the entire team of SCCI for curing his health.

### **Paterson**

28 years, UK, 2020

I would like to thank the medical experts of StemCellCareIndia for the treatment of Critical Limb Ischemia that made my get rid of this disease in the most easy and affordable manner.



### 36 years, Saudi, 2022

When Anwar was analyzed with critical limb ischemia, his doctors told him that there was nothing they could do for curing him. Anwar's father did not want to accept this and started to search the web for alternate therapies. After far-reaching online research, he found Stem Cell Care India. Anwar's condition had advanced so far that he was hardly able to eat or walk on his own. He felt abandoned by the surgeons. After his arrival in India and the initial examinations, the rigorous therapy began. The therapy worked quite well for Anwar along with other alternative supportive therapies like doing physiotherapy, occupational therapy, speech therapy, and aquatherapy. The efforts were worth it for Anwar. He and his family are really happy with the progressive results. They want to thank the professional team of SCCI.



## Nawab

### 35 years, UAE, 2020

The term critical limb ischemia refers to an ailment characterized by chronic ischemic rest pain, ulcers, or gangrene in one or both legs attributable to quantitatively proven arterial occlusive disease, this was the same problem Nawab was suffering from. Peripheral arterial disease affects 12% of the adult populace and up to 20% of elderly individuals. The most severe form of peripheral arterial disease is critical limb ischemia which transpires when arterial blood flow is restricted so sternly that perfusion of capillary beds is insufficient to sustain tissue sustainability.

Diabetic ischemic foot had led Nawab to experience chronic pain, sepsis, tissue loss and doctors were afraid they might have to execute eventual amputation, which can be fatal. Conventional treatment encompasses bypass surgery and balloon angioplasty. However, when he came to India at Stem Cell care India for the treatment, he learnt that bone marrow mesenchymal stem cells therapy augmented lower limb perfusion and promoted foot ulcer healing in diabetic patients with critical limb ischemia. Revascularization is the refurbishment of blood flow to a body portion or organ that has suffered ischemia, normally accomplished by surgical means. Non-revascularizable critical limb ischemia is the most severe phase of peripheral arterial disease, with no therapeutic option. This mesenchymal cells treatment sturdily improves revascularization wound healing and tissue perfusion in ischemic limbs. Stem Cell Care India has state-of-the-art technologies and human resource to help you get captivating treatment possibilities for Critical Limb Ischemia via the use of stem cells. This clinic ranks as one of the best healthcare systems as it we offers high quality stem cells treatments for just a fraction of the price you get in other countries.



### 42 years, Canada, 2022

Retired chef William relishes the simple pleasure of standing on his own two feet these days, thanks to the advanced care offered by Stem Cell Care India. What started out as a simple sore on his foot put William on a path to perhaps losing his right leg? His blood flow also compromised, William required amputation of four toes on his right foot until he planned to undergo stem cell treatment.

Critical limb ischemia (CLI) signifies the most advanced stage of peripheral arterial obstructive disease (PAOD) with a severe obstruction of the arteries which distinctly decreases blood flow to the extremities and has advanced to the point of severe rest pain and/or even tissue loss. Recent therapeutic strategies at Stem Cell Care India have concentrated on reinstating this balance in favor of tissue survival using mesenchymal cells to encourage regeneration of the vasculature. These are centered on stimulation of angiogenesis by extracellular and cellular constituents. This clinic carried out a systematic analysis of the most recent scientific literature based on the application of stem cells in patients with CLI. The outcomes obtained from the comprehensive analysis of the recent literature data have confirmed the advantageous role of cell therapy in dropping the rate of major amputations in patients with CLI and improving their quality of life, like that of William. Today, he can walk on his right leg without discomfort and no new wounds have developed. After facing amputation, he is grateful his leg was saved. "I'm delighted about it," says William.



PATIENT NAME	AGE	DISORDER	COUNTRY	YEAR OF TREATMENT	FOLLOW-UP FEEDBACK
Ejaz Khan	45	Sports Injury	Afghanistan	2017	Shakes in the hands gone. Able to get out of the wheelchair.
Berley	6	Autism	Canada	2018	Speech and cognitive abilities improved. Balance amended while sitting.
Justin	32	Muscular dystrophy	Brazil	2017	Balance and feet strength improved. Was able to get out of wheelchair unaided.
Mohd. Kasim	72	Type 2 Diabetes	Kuwait	2019	100 % bladder control was there and patient's sugar levels were under control.
Wasim Jafar	39	Motor Neuron Disease	Ghana	2020	Muscle strength improved. Able to live a better and healthier life than before.
Kevin	12	Ataxia	USA	2020	Walking was improved to a great extent. Patient was able to balance himself better.
Jim Mark	29	Liver Cirrhosis	Lebanon	2019	The patient's liver function improved and is able to eat food in a better way.
Rajesh Batra	41	Optic nerve atrophy	India	2018	Was able to see and detect light better and the eyesight improved a lot.
Kelly	33	Retinitis Pigmentosa	Australia	2020	After the treatment, visual field test results were better. Field of view and night vision also improved.
Kristeen	37	Macular Degeneration	Taiwan	2019	Day & night vision became better with improved vision for objects & light.
Marie Bella	45	ILD	USA	2017	Patient recovered from the disease in a short span of time and is now living a better life.
Tony Joseph	54	Muscular Dystrophy	USA	2017	The patient's condition improved with regenerative medicine and physiotherapy both combined.
Ram Manohar	62	Optic neuritis	India	2017	Improved bilaterally in vision sharpness, visual field and is able to see far off things better now.
Mohd. Kadar	41	Muscular Atrophy	Qatar	2018	Enhancements in awareness, responsiveness and Better sensory stimulation.
Fendi Morrson	78	Anti-ageing	UK	2019	The patient was able to get rid of wrinkles and the skin became supple and younger than before.
Valson	67	Osteoarthritis	Indonesia	2020	Is now able to use the staircase without the need for handrail. Walking and gait has become much better.
Zachary	17	Friedrich's Ataxia	Canada	2015	Able to stand up, bend over and touch the floor for the first time in 3 years.



PATIENT NAME	AGE	DISORDER	COUNTRY	YEAR OF TREATMENT	FOLLOW-UP FEEDBACK
Mark Morrison	58	Type 1 Diabetes	Canada	2017	Blood glucose levels were brought under control and foot ulcer also got cured.
Jordan	72	Heart disease	Germany	2018	Heart's ejection reaction improved a lot. Was able to live a healthier life after the treatment.
Pranjal Saxena	6	Cerebral palsy	India	2018	General muscle strength improved and considerable betterment in mobility and coordination.
Jospeh	46	Brain injury	Germany	2017	Much better results of improvement in awareness, responsiveness and sensations.
Ahmed Aksar	38	Multiple Sclerosis	Pakistan	2019	After treatment, the patient was able to walk at normal pace up to few kms.
Ashley	34	Ataxia	UK	2018	Able to stand up, bend down and touch the floor with ease and smoothness.
Oscar	42	ALS	USA	2020	Breathing and swallowing function improved greatly.
Zubina	51	CKD	Afghanistan	2017	Was able to survive without kidney transplant successfully.
Carl Smith	61	Rheumatoid arthritis	Germany	2018	Was able to use the staircase after a long time of 4 years. Pain in the knees also subsided.
David Paul	44	Spinal cord injury	Scotland	2019	Balance improved a lot while sitting. The patient is able to walk and stand in a much stable way.
Shehzad Ali	4	Autism	India	2017	Speech became clear and socially more affable. Balance and mobility also improved.
Sri Rangnath	45	Multiple sclerosis	Hungary	2018	Increased muscle strength was seen. The patient was able to sit and stand for long after the treatment.
Natalie	32	Glaucoma	Australia	2020	Was able to see objects at a distance in a better way after the treatment.  Eyesight also improved.
Kathrine	16	Ataxia	England	2019	Balance of the body improved and is now able to walk properly without any support.
Thomas Clark	44	Retinopathy	South Africa	2017	Vision was improved significantly and the patient was able to see things in a better way.
Preetpal Singh	58	Osteoarthritis	USA	2018	Balance improved significantly and there was increased sensation in legs was seen.



PATIENT NAME	AGE	DISORDER	COUNTRY	YEAR OF TREATMENT	FOLLOW-UP FEEDBACK
Jessica Kukreja	42	Traumatic brain injury	USA	2017	Tremors in the legs decreased with time and there was better stability in the legs.
Amy Jackson	3	Cerebral Palsy	Argentina	2020	Vivid increase in appetite and motor abilities also improved to a great extent.
Smith Bross	24	Spinal Cord Injury	Australia	2019	There were some amazing improvements observed after the treatment and the patient was able to walk better.
Rakesh Kumar	32	Duchenne Muscular Dystrophy	India	2015	Able to extend his limbs fully.
Jim Vishoot	35	Traumatic Brain Injury	USA	2015	Tension reduced in facial muscles. Strength in his legs increased.
Katharina Adler	35	Ataxia	Canada	2015	Walking improved considerably.
Andrew Ricci Wallace	3	Cerebral Palsy	Australia	2016	Stopped choking while drinking and the gastric emptying problem had improved and could eat food more than just mushy consistency.
Mr. Yusuf	32	Multiple Sclerosis	Nigeria	2015	Better balance, no double vision and improved sensation on her right side of the face.
Parul Dev	8	Cerebral Palsy	USA	2015	Gained partial independence in her daily activities.
Akiki Juliet	6	Batten Disease	Lebanon	2015	Spasticity disappeared and his grip returned.
Ross Taylor	32	SCA 2	Zimbawe	2016	Spasticity disappeared and his grip returned.
Milan Ayan	8	Autism	Afghanistan	2016	Episodes of stumbling after waking disappeared.
Carl Stevens	57	Ischemic Optic Neuropathy	USA	2015	Able to speak in complete sentences more than ten words.
Mr. Brandon	19	Multiple Sclerosis	Australia	2015	Able to perceive light sources.
Mr. Osama	26	Amyotrophic Lateral Sclerosis	Ghana	2016	Able to walk at normal pace for a few km.
Md Rasheed	53	Traumatic Brain Injury	Pakistan	2015	Breathing improved; swallowing improved with less hiccup episodes.
David Robert Blair	33	SCA 1	Scotland	2015	Regained consciousness.



DATIENT		VEADOE				
PATIENT NAME	AGE	DISORDER	COUNTRY	YEAR OF TREATMENT	FOLLOW-UP FEEDBACK	
Imran Khan	26	Traumatic Brain Injury	Bangladesh	2015	Increased balance and trunk strength.	
Sana Naaz	2	Cerebral Palsy	Pakistan	2015	Dramatic increase in appetite.	
Gabor Bocskai	19	Cerebral Palsy	Hungary	2015	Balance improved while sitting. Improvements in reading.	
Ahmed	33	SCA 3	Afghanistan	2016	Choking during meals reduced.	
Jessica	22	Traumatic Brain Injury	USA	2015	Tremors in the hands disappeared. Able to get out of the wheelchair unaided.	
Jordan	13	Glucose Transporter Deficiency Syndrome	USA	2015	Speech and cognitive skills improved.	
Sachin	43	ALS	India	2016	Balance improved while sitting.	
Smith	59	Bulbar ALS	Australia	2016	Able to get out of the wheelchair unaided.	
Kevin	37	Heart Disease	Australia	2015	Heart's ejection fraction improved from 20% to 50%.	
Josephine Stramiello	3	Cerebral Palsy	Zimbawe	2015	Overall muscle strength improved.	
Shazad Ali	7	Cerebral Palsy	Iraq	2016	Balance and trunk strength improved.	
Kymberly Graf	19	SCA 2	Canada	2016	Mobility and coordination improved considerably.	
Michael	12	Autism	Australia	2016	Sensation improved.	
Amy Lewis	2	Brain Injury	USA	2016	Improvements in awareness, responsiveness and sensory stimuli.	
Sumaiya	9	Epilepsy	Pakistan	2016	Balance improved and climbed stairs unaided.	
Gurmeet Singh	26	Friedrich's Ataxia	Australia	2016	Balance improved and increased sensation in the legs.	
Lukas Nguyen	3	Traumatic Brain Injury	USA	2016	Muscle strength improved.	
Maria	5	Autism	Romania	2016	Temper tantrums significantly reduced.	
Mark Godzilla Yu	6	Autism	USA	2014-2016	Behavioural, language and social skills improved. Speech became clear and socially more amiable.	
Raghav Sharma	12	Autism	India	2015	Able to dress himself and comb his hair.	
Swati Verma	23	Ataxia	India	2016	Balance improved and climbed stairs without assistance.	



PATIENT NAME	AGE	DISORDER	COUNTRY	YEAR OF TREATMENT	FOLLOW-UP FEEDBACK
Maya Madura	7	Epilepsy	Hungary	2015-2016	Seizures had stopped and speech became better.
Mitchell Pacis	6	Autism	Australia	2015	Speech improved and started to utter single words.
Undisclosed	39	Glaucoma	South Africa	2016	Improvements bilaterally in visual acuity, visual field and VEP in post-treatment eye exam.
Nate Redman	17	SCA 7	USA	2016	Improvements in speech and balance
Kevin	58	Huntington's Disease	USA	2016	Balance and mobility improved. Gave up cane for walking.
Paul Thomas Flynn	43	Hereditary Ataxia	USA	2014-2016	Improvements in balance and speech
Rashid Ali	50	Multiple Sclerosis	Bangladesh	2014-2015	Convulsive tremors ceased. Gained some bladder control.
Undisclosed	12	Muscular Dystrophy	USA	2015	Increase in muscle strength.
Raghav Lakhotia	21	Spinal Cord Injury	India	2014	First treatment—•vision improved considerably and could raise right arm completely. Second treatment—•no significant changes were seen.
Rajiv Saluja	52	Multiple Sclerosis	India	2016	First time—•100 % bladder control was achieved. Second time in 2012 – BP became normal and stopped taking his BP medication that he was taking since 1998.
Robert Frank Flynn	49	Hereditary Ataxia	USA	2015-2016	Able to stand in the shower without a support for an extended time.
Russ Kleve	58	FSHD Muscular Dystrophy	USA	2016	Walking and gait has improved. Falling has reduced.
Sachin Goel	28	Limb Girdle Muscular Dystrophy	India	2015	Improvements in shoulder muscle & improvement in stamina.
Susan Monica Glenn	41	Multiple Sclerosis	England	2014-2016	Balance improved and the convulsions reduced.
Timothy Graf	45	SCA2	USA	2015	Able to use the stairs without the help of the handrail.
Undisclosed	30	SMA3	Indonesia	2014-2016	Does not get asthmatic bronchitis during seasonal change.
Travis Ashton	18	Traumatic Brain Injury	USA	2015-2016	The major change was seen in the control of his mouth and drooling improved significantly.
Valerie Crowter	51	Hereditary Ataxia	Canada	2014-2016	A huge reduction in the frequency and severity of cramps in her legs.











- info@stemcellcareindia.com
- International Patients: +91 8743024344, Indian Patients: +91 7838223336





+91 8743024344, +91 7838223336



/StemCellCare



